

# SAFETY DATA SHEET

# Maclin Sourcing Solutions Limited - Promark Discipline Referee Vanishing Spray 105ml Aerosols

9	
SECTION 1: Identification	of the substance/mixture and of the company/undertaking
1.1. Product identifier	
Product name	Maclin Sourcing Solutions Limited - Promark Discipline Referee Vanishing Spray 105ml Aerosols
Product number	PN1316
1.2. Relevant identified use	es of the substance or mixture and uses advised against
Identified uses	Marker Spray
1.3. Details of the supplier	of the safety data sheet
Supplier	Maclin Sourcing Solutions Limited Unit A3, Risby Business Park Newmarket Road Risby Suffolk IP28 6RD Tel: +44 (0)1284 810 887 Fax: +44 (0)1284 811 908 info@maclingroup.co.uk
1.4. Emergency telephone	number
Emergency telephone	+44 (0) 1284 810 887 (MON TO THURS 08:45-17:30, FRI 09:00 - 15:00)
SECTION 2: Hazards iden	tification
2.1. Classification of the su	bstance or mixture
<b>Classification</b>	
Physical hazards	

Physical hazards Aerosol 1 - H222, H229

Health hazards Not Classified

# Environmental hazards

Not Classified

# Human health

Vapours and spray/mists in high concentrations are narcotic.

## Environmental

The product is not expected to be hazardous to the environment.

## Physicochemical

Containers can burst violently or explode when heated, due to excessive pressure build-up. The product is extremely flammable. Vapours may form explosive mixtures with air.

## 2.2. Label elements

# Pictogram



Signal word Hazard statements Precautionary statements

H222 Extremely flammable aerosol. H229 Pressurised container: may burst if heated

# Maclin Sourcing Solutions Limited - Promark Discipline Referee Vanishing Spray 105ml Aerosols

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P211 Do not spray on an open flame or other ignition source.

P251 Do not pierce or burn, even after use.

P261 Avoid breathing vapour/spray.

P271 Use only outdoors or in a well-ventilated area.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

# 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

## SECTION 3: Composition/information on ingredients

#### 3.2. Mixtures

PETROLEUM GASES, LIQUEFIED 10-30% CAS number: 68476-85-7 EC number: 270-704-2 Classification (67/548/EEC or 1999/45/EC) Classification Flam. Gas 1 - H220 Press. Gas, Compressed - H280 1-5% SODIUM BENZOATE CAS number: 532-32-1 EC number: 208-534-8 REACH registration number: 01-2119460683-35-XXXX Classification Classification (67/548/EEC or 1999/45/EC) Eye Irrit. 2 - H319 SODIUM LAUROYL SARCOSINATE <1% CAS number: 137-16-6 EC number: 205-281-5 Classification Classification (67/548/EEC or 1999/45/EC) Acute Tox. 2 - H330 Skin Irrit. 2 - H315 Eye Dam. 1 - H318 The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

# SECTION 4: First aid measures

#### 4.1. Description of first aid measures

#### **General information**

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.

#### Inhalation

Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If in doubt, get medical attention promptly.

#### Ingestion

Rinse mouth thoroughly with water. Remove person to fresh air and keep comfortable for breathing. Get medical attention.

#### Skin contact

Wash skin thoroughly with soap and water. Get medical attention promptly if symptoms occur after washing.

#### Eye contact

Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

#### Protection of first aiders

First aid personnel should wear appropriate protective equipment during any rescue.

## 4.2. Most important symptoms and effects, both acute and delayed

# **General information**

See Section 11 for additional information on health hazards.

#### 4.3. Indication of any immediate medical attention and special treatment needed

## Notes for the doctor

# Maclin Sourcing Solutions Limited - Promark Discipline Referee Vanishing Spray 105ml Aerosols Treat symptomatically.

# SECTION 5: Firefighting measures

## 5.1. Extinguishing media

# Suitable extinguishing media

Foam, carbon dioxide or dry powder.

#### 5.2. Special hazards arising from the substance or mixture

#### Specific hazards

Containers can burst violently or explode when heated, due to excessive pressure build-up.

# 5.3. Advice for firefighters

#### Protective actions during firefighting

Use water to keep fire exposed containers cool and disperse vapours. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk.

#### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

# Personal precautions

Avoid inhalation of vapours and contact with skin and eyes. Ensure suitable respiratory protection is worn during removal of spillages in confined areas.

# 6.2. Environmental precautions

Environmental precautions

Avoid discharge into drains.

## 6.3. Methods and material for containment and cleaning up

#### Methods for cleaning up

Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place into containers.

#### 6.4. Reference to other sections

## Reference to other sections

For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.

# SECTION 7: Handling and storage

# 7.1. Precautions for safe handling

#### Usage precautions

Keep away from heat, sparks and open flame. Read and follow manufacturer's recommendations. When sprayed on a naked flame or any incandescent material the aerosol vapours can be ignited. Use suitable respiratory protection if ventilation is inadequate.

## Advice on general occupational hygiene

Wash promptly with soap and water if skin becomes contaminated.

# 7.2. Conditions for safe storage, including any incompatibilities

#### Storage precautions

Do not store near heat sources or expose to high temperatures. Keep away from heat, sparks and open flame.

#### 7.3. Specific end use(s)

#### Specific end use(s)

The identified uses for this product are detailed in Section 1.2.

# SECTION 8: Exposure Controls/personal protection

## 8.1. Control parameters

## Occupational exposure limits

# Maclin Sourcing Solutions Limited - Promark Discipline Referee Vanishing Spray 105ml Aerosols

# SODIUM BENZOATE (CAS: 532-32-1)

DNEL	Consumer - Oral; Long term systemic effects: 25 mg/kg/day Consumer - Dermal; Long term local effects: 2.7 mg/kg/day Workers - Dermal; Long term local effects: 4.5 mg/kg/day Consumer - Dermal; Long term systemic effects: 20.8 mg/kg/day Workers - Dermal; Long term systemic effects: 34.7 mg/kg/day Consumer - Inhalation; Long term local effects: 1.3 mg/m <sup>3</sup> Workers - Inhalation; Long term local effects: 6.3 mg/m <sup>3</sup>
	Consumer - Inhalation; Long term systemic effects: 2.1 mg/m <sup>3</sup> Workers - Inhalation; Long term systemic effects: 10.4 mg/m <sup>3</sup>

# 8.2. Exposure controls

## Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible.

#### Hand protection

No specific hand protection recommended.

#### Other skin and body protection

Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.

#### **Respiratory protection**

No specific recommendations. If ventilation is inadequate, suitable respiratory protection must be worn.

# SECTION 9: Physical and Chemical Properties

#### 9.1. Information on basic physical and chemical properties

#### Appearance

Aerosol.

Colour White.

# Odour

No characteristic odour.

#### Odour threshold

No information available.

# pН

No information available.

#### Melting point

No information available.

# Initial boiling point and range

-41 (-41 TO 100)°C @

# Flash point -40°C CC (Closed cup).

Evaporation rate

# No information available.

# **Evaporation factor**

No information available.

Flammability (solid, gas) No information available.

# Upper/lower flammability or explosive limits

Lower flammable/explosive limit: 1.8 % Upper flammable/explosive limit: 9.5 %

#### Vapour pressure No information available.

Vapour density No information available.

# **Relative density**

0.895

Solubility(ies) Soluble in water.

# Maclin Sourcing Solutions Limited - Promark Discipline Referee Vanishing Spray 105ml Aerosols No information available.

# Auto-ignition temperature

Auto-ignition temperat

495°C

# Decomposition Temperature

No information available.

**Viscosity** No information available.

# Oxidising properties

No information available.

# 9.2. Other information

Other information

# SECTION 10: Stability and reactivity

# 10.1. Reactivity

No test data specifically related to reactivity available for this product or its ingredients.

# 10.2. Chemical stability

# Stability

The product may not be stable under some conditions of storage or use.

# 10.3. Possibility of hazardous reactions

None known.

# 10.4. Conditions to avoid

Avoid heat, flames and other sources of ignition. Avoid exposing aerosol containers to high temperatures or direct sunlight.

## 10.5. Incompatible materials

Materials to avoid

None known.

# 10.6. Hazardous decomposition products

None at ambient temperatures.

# SECTION 11: Toxicological information

# 11.1. Information on toxicological effects

# Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 55.5555556

## Inhalation

Vapours in high concentrations are narcotic. Vapours may cause headache, fatigue, dizziness and nausea.

# Skin contact

Skin irritation should not occur when used as recommended.

# Eye contact

Vapour or spray in the eyes may cause irritation and smarting.

## Acute and chronic health hazards

No known chronic or acute health risks.

# Route of entry

Skin and/or eye contact Inhalation

# Maclin Sourcing Solutions Limited - Promark Discipline Referee Vanishing Spray 105ml Aerosols <u>Toxicological information on ingredients.</u>

# SODIUM BENZOATE

Acute toxicity - oral Acute toxicity oral (LD50 mg/kg) 3,140.0 Species Rat ATE oral (mg/kg) 3,140.0 Acute toxicity - dermal Acute toxicity dermal (LD50 mg/kg) 2001.0 Species Rabbit ATE dermal (mg/kg)

2001.0

Acute toxicity - inhalation

Acute toxicity inhalation (LC50 vapours mg/l)

12.3

Species Rat

# SODIUM LAUROYL SARCOSINATE

Acute toxicity - inhalation ATE inhalation (vapours mg/l) 0.5

# SECTION 12: Ecological Information

# 12.1. Toxicity

# Ecological information on ingredients.

## SODIUM BENZOATE

Acute toxicity - fish EC<sub>00</sub>, 96 hours: >100 mg/l, Fish

# Acute toxicity - aquatic invertebrates

EC<sub>00</sub>, 48 hours: >100 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC<sub>00</sub>, 72 hours: >100 mg/l, Algae

# 12.2. Persistence and degradability

Persistence and degradability No data available.

12.3. Bioaccumulative potential

Partition coefficient No information available.

12.4. Mobility in soil

Mobility

No data available

# 12.5. Results of PBT and vPvB assessment

This product does not contain any substances classified as PBT or vPvB.

# 12.6. Other adverse effects

None known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

# Maclin Sourcing Solutions Limited - Promark Discipline Referee Vanishing Spray 105ml Aerosols

# **General information**

Dispose of waste product or used containers in accordance with local regulations

## **Disposal methods**

Containers should be thoroughly emptied before disposal because of the risk of an explosion. Do not pierce or burn, even after use.

# SECTION 14: Transport information

# 14.1. UN number

UN No. (ADR/RID)	1950				
UN No. (IMDG)	1950				
UN No. (ICAO)	1950				
UN No. (ADN)	1950				
14.2. UN proper shipping name					
Proper shipping name (ADR/RID)	AEROSOLS				
Proper shipping name (IMDG)	AEROSOLS				
Proper shipping name (ICAO)	AEROSOLS				
Proper shipping name (ADN)	AEROSOLS				

# 14.3. Transport hazard class(es)

	0.1
ADR/RID class	2.1
ADR/RID classification code	5F
ADR/RID label	2.1
IMDG class	2.1
ICAO class/division	2.1
ADN class	2.1
Transport labels	



14.4. Packing group				
Not applicable.				
14.5. Environmental hazards				
Environmentally hazardous substance/marine pollutant				
No.				
14.6. Special precautions for user				
EmS	F-D, S-U			
ADR transport category	2			
Tunnel restriction code	(D)			

# 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

Not applicable.

# SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## National regulations

The Aerosol Dispensers Regulations 2009 (SI 2009 No. 2824).

# **EU** legislation

Revision date: 16/07/2014 Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended). Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended).

# Maclin Sourcing Solutions Limited - Promark Discipline Referee Vanishing Spray 105ml Aerosols <u>15.2. Chemical safety assessment</u>

No chemical safety assessment has been carried out.

SECTION 16: Other information		
Revision date	16/07/2014	
Revision	1	
SDS number	4783	
Hazard statements in f	iuli	
	H220 Extremely flammable gas.	
	H222 Extremely flammable aerosol.	
	H229 Pressurised container: may burst if heated	
	H280 Contains gas under pressure; may explode if heated.	
	H315 Causes skin irritation.	
	H318 Causes serious eye damage.	
	H319 Causes serious eye irritation.	
	H330 Fatal if inhaled.	

# Disclaimer

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.